

## 1276302-3corrected.ST25.txt SEQUENCE LISTING

1 1 5

```
<110>
         Yeda Research and Development Company Ltd.
<120>
         ASSAY FOR THE DIAGNOSIS OF SCHIZOPHRENIA BASED ON A NEW PEPTIDE
<130>
         24390 (1276302)
<140>
         09/647,457
<141>
         2000-09-29
<150>
         PCT/IL99/00190
         1999-09-29
<151>
<150>
         123925
<151>
         1998-04-02
<160>
         15
<170>
         PatentIn version 3.2
<210>
<211>
         28
<212>
         PRT
<213>
         Unknown
<220>
<223>
         being the immunologically active epitope
<220>
<221>
         MISC_FEATURE
<222>
         (1)..(11)
         Xaa(1) is S or absent; Xaa(2) is G or absent; Xaa(3) is E or absent; Xaa(4) is T or absent; Xaa(5) is E or absent; Xaa(6) is D or absent; Xaa(7) is T or absent; Xaa(8) is F or absent; Xaa(9) is I or absent; Xaa(10) is A or absent; provided that
<223>
         when Xaa(11) is absent, Xaa(1) through Xaa(10), inclusive, are
         absent, and when Xaa(11) is D , Xaa(10) is A or absent; when
         Xaa(10) is absent, Xaa(1) through Xaa(9), inclusive, are absent,
         and when Xaa(10) is A, Xaa(9) is I or absent; when Xaa(9) is absent, Xaa(1) through Xaa(8), inclusive, are absent, and when
         Xaa(9) is I, Xaa(8) is F or absent; when Xaa(8) is absent,
Xaa(1) through Xaa(7), inclusive, are absent, and when Xaa(8) is
F, Xaa(1) through Xaa(7) are, respectively, S, G, E, T, E, D,
         and T.
<220>
<221>
         MISC_FEATURE
<222>
         (12)..(28)
         Xaa(19) is C, G, P; Xaa(25) is A, P; Xaa(26) is P, A; Xaa(28) is R or absent, provided that Xaa(25) and Xaa(26) are taken together
<223>
         to form a sequence selected from the group consisting of AP and
         PA.
<400>
        1
```

Cys Thr Xaa Gln Ile Lys Thr Gly Xaa Xaa Cys Xaa 20 25

## 1276302-3corrected.ST25.txt

```
<210>
       28
<211>
<212>
       PRT
<213>
       Unknown
<220>
       being the immunologically active epitope
<223>
<400>
Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Val Gly Leu
1 5 10
Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg 20 25
<210>
       16
<211>
<212>
       PRT
<213>
       Unknown
<220>
        peptide capable of binding antibodies that are found in elevated
<223>
        levels in body fluids of schizophrenic patients.
<400>
Leu Val Val Gly Leu Cys Thr Cys Gln Ile Lys Thr Gly Pro Ala Cys 10 	ext{1}
<210>
        4
        20
<211>
<212>
        PRT
<213>
        Unknown
<220>
        peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients.
 <223>
<400>
Ile Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly
Ala Pro Cys Arg
 <210>
 <211>
        19
 <212>
        PRT
 <213>
        Unknown
 <220>
        peptide capable of binding antibodies that are found in elevated
 <223>
         levels in body fluids of schizophrenic patients
```

```
1276302-3corrected.ST25.txt
<400> 5
Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala
1 5 10
Pro Cys Arg
<210>
       6
<211>
       18
<212>
       PRT
<213>
       Unknown
<220>
       peptide capable of binding antibodies that are found in elevated
<223>
        levels in body fluids of schizophrenic patients
<400>
Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
Cys Arg
<210>
       17
<211>
<212>
        PRT
       Unknown
<213>
<220>
        peptide capable of binding antibodies that are found in elevated
<223>
        levels in body fluids of schizophrenic patients
<400>
Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
1 10 15
Arg
 <210>
        8
 <211>
        17
 <212>
        PRT
 <213>
        Unknown
 <220>
        peptide capable of binding antibodies that are found in elevated
 <223>
         levels in body fluids of schizophrenic patients
 <400>
```

Page 3

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys  $1 \hspace{1cm} 10 \hspace{1cm} 15$ 

. 🗪 · i

```
Arg
```

<220>

```
<210>
         9
<211>
        17
<212>
        PRT
<213>
        Unknown
<220>
<223>
         peptide capable of binding antibodies that are found in elevated
         levels in body fluids of schizophrenic patients
<400>
Leu Val Val Gly Leu Cys Thr Pro Gln Ile Lys Thr Gly Pro Ala Cys 1 5 10 15
Arg
<210>
        10
<211> 20
<212> PRT
<213> Unknown
<220>
         peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients
<223>
<400>
        10
Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Gly Leu 1 5 10 15
Cys Thr Gly Gln
20
<210>
        11
<211> 16
<212> PRT
<213> Unknown
<220>
        peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients
<223>
<400>
        11
Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
<211>
        12
<212>
       PRT
<213> Unknown
```

```
1276302-3corrected.ST25.txt
        peptide capable of binding antibodies that are found in elevated
        levels in body fluids of schizophrenic patients
<400> 12
Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
1 10
<210>
        13
<211>
        16
<212>
        PRT
<213>
        Unknown
<220>
        peptide capable of binding antibodies that are found in elevated
<223>
        levels in body fluids of schizophrenic patients
<400>
        13
Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
<210>
        14
<211> 15
<212>
       PRT
<213>
       Unknown
<220>
        peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients
<223>
<400>
        14
Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro
<210>
        15
<211>
       16
<212>
       PRT
<213>
       Unknown
<220>
<223>
        peptide capable of binding antibodies that are found in elevated
        levels in body fluids of schizophrenic patients
<400>
Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys 1 \hspace{1cm} 10 \hspace{1cm} 15
```